



# Certificate of Analysis

Sample: KN40521005-001  
Harvest/Lot ID: YOGV105  
Batch#: YOGV105  
Batch Date: 05/16/24  
Sample Size Received: 2 gram  
Retail Product Size: 15.5 gram  
Ordered: 05/16/24  
Sampled: 05/16/24  
Completed: 05/31/24

**PASSED**

Page 1 of 1

May 31, 2024 | Emerald City NY, LLC  
46 Foster Road, Suite 1  
Hopewell Junction, NY, 12533, US



PRODUCT IMAGE



SAFETY RESULTS

Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filth NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

MISC.



Potency

**PASSED**



Total CBD  
**2.7738%**



Total Cannabinoids  
**5.5497%**

	CBDVA	CBDV	CBDA	CBD	CBGA	CBG	CBN	CBC	THCA	D9-THC	THCV	D8-THC
%	ND	ND	ND	2.7738	ND	ND	2.7759	ND	ND	ND	ND	ND
mg/g	ND	ND	ND	27.738	ND	ND	27.759	ND	ND	ND	ND	ND
LOD	0.030	0.050	0.040	0.080	0.060	0.060	0.080	0.040	0.120	0.140	0.130	0.090
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm

Testing was completed at a reference facility with DEA Number: RP0607436  
ISO/IEC 17025:2017 Certificate #: 6400.01

This report shall not be reproduced, unless in its entirety, without written approval from Certified Laboratories/Labstat. This report is a Certified Laboratories/Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. Some testing may be performed at Blue Bonnet Labs (DEA#RP0607436). ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Darren Converse

Lab Director

State License # n/a  
ISO Accreditation # 17025:2017

Signature

05/31/24

Signed On